Cal-Ma Plus®

Helps Support Endocrine, Cellular, and Metabolic Functions

Cal-Ma Plus contains glandulars, which are animal organ and glandular tissues that are utilized for their highly concentrated nutrients. In particular, bovine glandulars that are ingested help maintain well-being by supporting parallel tissues in the human body. In Cal-Ma Plus, bovine parathyroid is combined with magnesium and calcium to provide concentrated nutrients that are especially supportive to the parathyroid tissues in the human body. Healthy parathyroid function is required for proper regulation of calcium metabolism. Cal-Ma Plus also helps calcium and magnesium join forces at the cellular level to maintain normal cell growth and replication. These two minerals are important in the proper functioning of the nervous, neuromuscular, skeletal, and cardiovascular systems.

How Cal-Ma Plus Keeps You Healthy

Builds strong bones and teeth

Calcium is essential to maintain the proper density of bones and teeth so they can withstand daily wear and tear. Almost 90 percent of the body's calcium resides in the bones and teeth. Sixty percent of the body's magnesium is also found in the bones. Cal-Ma Plus helps maintain bone stability by assisting the ongoing activities of bone formation and resorption. Cal-Ma Plus provides 15 percent of the daily value for calcium in three tablets.

Maintains cardiovascular function

In order for the heart muscle to operate properly, the tissue fluid around the muscle must contain appropriate amounts of calcium. Magnesium also plays an important role in heart health by its ability to support the heart muscle in the relaxation phase. Magnesium salts have been used for more than 50 years to help maintain a regular heartbeat. Ingredients in Cal-Ma Plus help maintain adequate levels and regulation of these important minerals.†

Maintains cellular efficiency

Together calcium and magnesium maintain normal cell growth and replication. Calcium plays an important role in maintaining healthy blood. Calcium also works with phosphorus at the cellular level, reacting with proteins, fats, and carbohydrates to supply energy and materials for growth and repair. Calcium and magnesium work in tandem to promote normal nerve function.



Introduced in 1958



Content:

90 tablets 330 tablets

Suggested Use: Three tablets per day, or as directed.

Supplement Facts:

Serving Size: 3 tablets

Servings per Container: 30 or 110 Amount

| Calories | 4 | |
|--------------------|--------|------|
| Total Carbohydrate | 1 g | <1%* |
| Calcium | 160 mg | 15% |

per Serving

*Percent Daily Values (DV) are based on a 2.000-calorie diet.

Ingredients: Calcium lactate, honey, calcium chloride, magnesium citrate, calcium stearate, and bovine parathyroid.

Three tablets supply approximately: 2.3 ma bovine parathyroid.

Sold through health care professionals.



Cal-Ma Plus®

What Makes Cal-Ma Plus Unique

Product Attributes

Combines bovine parathyroid, magnesium, and calcium to provide concentrated nutrients

- > To help support endocrine, cellular, and metabolic functions
- Contains nutritional compounds that are supportive to the parathyroid gland in maintaining proper calcium metabolism[†]

Helps calcium and magnesium join forces at the cellular level

> To maintain normal cell growth and replication[†]

Manufacturing and Quality-Control Processes Low-temperature, high-vacuum drying technique

> Preserves the enzymatic vitality and nutritional potential of ingredients

Not disassociated into isolated components

The nutrients in Cal-Ma Plus are processed to remain intact, complete nutritional compounds

Degreed microbiologists and chemists in our on-site laboratories continually conduct bacterial and analytical tests on raw materials, product batches, and finished products

> Ensures consistent quality and safety

Vitamin and mineral analyses validate product content and specifications

> Assures high-quality essential nutrients are delivered

Whole Food Philosophy

Our founder, Dr. Royal Lee, challenged common scientific beliefs by choosing a holistic approach of providing nutrients through whole foods. His goal was to provide nutrients as they are found in nature—in a whole food state where he believed their natural potency and efficacy would be realized. Dr. Lee believed that when nutrients remain intact and are not split from their natural associated synergists-known and unknown—bioactivity is markedly enhanced over isolated nutrients. Following this philosophy, even a small amount of a whole food concentrate will offer enhanced nutritional support, compared to an isolated or fractionated vitamin. Therefore, one should examine the source of nutrients rather than looking at the quantities of individual nutrients on product labels.

Studies on nutrients generally use large doses and these studies, some of which are cited below, are the basis for much of the information we provide you in this publication about whole food ingredients. See the supplement facts for Cal-Ma Plus®

Abraham G.E., Grewal H. 1990. A total dietary program emphasizing magnesium instead of calcium. Effect on the mineral density of riaginsulminisación de la ciliada de la ciliada de la ciliada de la calcaneous bone in postmenopausal women on hormonal therapy. Journal of Reproductive Medicine 35(5): 503-507.

Anderson L.E. 1998. Mosby's Medical, Nursing, & Allied Health

Dictionary, 5th ed. St. Louis, MO: Mosby,

Barger-Lux M.J., Heaney R.P. 1994. The role of calcium intake in preventing bone fragility, hypertension, and certain cancers. *Nutrition Journal* 124(8Suppl): 1406S-1411S.

Blythe S.D. Nutritionist. Dietary Calcium to Prevent Osteoporosis. Brevard Health. Online.
Bronner F. 1995. Nutrition and Health, Topics and Controversies. CRC

Press: 114-121

Press: 114-121.
Guyton A.C., Hall J.E. 1997. Human Physiology and Mechanisms of Disease. 6th ed. W.B.Saunders Company: 87, 92, 300, 634.
Haas E.M. 1999. Minerals. HealthWorld. Online.Moon J., et al. 1992.

Hypothesis: Etiology of atherosclerosis and osteoporosis: Are imbalances in the calcified endocrine system implicated. *Journal of the American College of Nutrition* 11(5): 567-583.

Northover B.J., et al. 1989. The involvement of lactate and calcium as

mediators of the electrical and mechanical responses of the myocardium to conditions of simulated ischaemia. *British Journal of Pharmacology* 97(3): 809-818.

Schachter M. 1996. The importance of magnesium to human nutrition HealthWorld Online

Seelig M. 1989. Cardiovascular consequences of magnesium deficiency and loss: pathogenesis, prevalence and manifestations--magnesium and chloride loss in refractory potassium repletion. American Journal of

Cardiology 63(14): 46-216.

Shils M.E., Young V.R. 1988. Modern Nutrition in Health and Disease.

7th ed. Philadelphia, PA: Lea & Febiger: 142-188, 1566.

Tver D.F., Russell P. 1989. The Nutrition & Health Encyclopedia. 2nd ed.

New York, NY: Van Nostrand Reinhold: 86, 312.
Van Wynsberghe D. 1995. Human Anatomy and Physiology. New York. NY: McGraw-Hill, Inc: 598, 927,

Whitfield J.F. 1990. Calcium, Cell Cycles, and Cancer. CRC Press Inc: 7-32.

Willett W. 1990. Nutritional Epidemiology. Oxford University Press:

Wilson E., et. al. 1965. *Principles of Nutrition*. 2nd ed. John Wiley & Sons, Inc: 134-150.



800-558-8740 | standardprocess.com